

PATENT

AMU # [[8/9/0/

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.:

09/498,821

Filing Date:

February 4, 2000

Applicant:

Lutkus et al.

Group Art Unit:

3627

Examiner:

Flemming Saether

Title:

Anti-Galling Fastener Inserts

Attorney Docket:

0275M-000273

Commissioner of Patents and Trademarks Washington, D.C. 20231

Appellant's Brief Under 37 C.F.R. §1.192

Sir:

This is an appeal from the Official Action mailed January 2, 2001 rejecting the claims for a third time. A Notice of Appeal was filed on June 4, 2001 (June 2, 2001 being a Saturday) including the appropriate fees. Please note that the Appeal Brief has been submitted in triplicate and is accompanied by the requisite fee under 37 C.F.R. §1.17(c).

Table of Contents

Real Party in Interest
Related Appeals and Interferences
Status of Claims3
Status of Amendments
Summary of the Invention3
Summaries of References Cited5
Issues Presented6
Grouping of Claims7
Argument7
Appendices
Copy of the Claims Appealed11
Copy of Amendment Filed on May 24, 2001 for Entry

Real Party in Interest

The real party in interest is Emhart, Inc., a Delaware corporation having a place of business at Drummond Plaza Office Park, 1423 Kirkwood Highway, Newark, Delaware 19711, to which the inventors have assigned all rights in this invention. The Assignment was recorded in the U.S. Patent and Trademark Office on February 4, 2000 at Reel 010555, Frame 0250.

Related Appeals and Interferences

There are no related appeals or interferences.

Status of Claims

Claims 1-19 are pending in the application, prior to entry of the appended amendment, and stand rejected for the third time. This appeal is taken as to all pending claims after entry of the appended amendment.

Status of Amendments

In response to the last Official Action, an amendment was filed on May 24, 2001. A copy of the amendment is attached and entry is requested.

Summary of the Invention

I. The Claims and Description of the Invention

Upon entry of the amendment filed on May 24, 2001, Claims 1-2, 4-6, 8-10, 12-16 and 18-19 remain pending. Thus, Claims 2, 7, 11 and 17 should be cancelled.

The subject matter of the present application relates to screw thread inserts for receiving threaded fasteners wherein the inserts are formed from alloys which give the inserts anti-galling properties and to nut assemblies employing such inserts. More specifically, the fastener insert alloys are nitrogen strengthened stainless steel alloy comprising a) from about 0.05 to .15%

carbon; b) from about 5.0 to 12.0% manganese; c) from about 2.0 to 6.0% silicon; d) from about 12.0 to 20.0% chromium; e) from about 6.0 to 12.0% nickel; f) from about 0.02 to 0.8% nitrogen; with the remainder being iron.

Appellant has discovered that fastener inserts formed from this type of alloy have dramatically improved anti-galling characteristics. As noted at page 2, lines 1-15 of the application, fastener inserts formed from 302 and 304 type stainless steels exhibit a propensity to galling despite the relative hardness of these materials.

By way of definition and distinction, galling is distinguishable from wear in that galling results from metal to metal contact in localized areas which results in grooving and self-welding of the metals at the localized areas. Wear, however, is characterized by relatively uniform loss of metal from a surface as a result of rubbing a much harder metal surface against a much smaller metal surface.

While the fastener insert art has recognized a need for anti-galling fastener insert embodiments, heretofore none have been effectively developed.

Claim 2 relates to a specific type of fastener insert, namely helically coiled fastener inserts which require specific processing parameters to obtain a useful product, particularly those having a substantially diamond shaped cross-section over at least a portion thereof as now required by Claim 1.

Claim 4 relates to a helically coiled screw thread insert which is formed from an even more specific alloy composition.

Claim 6 also relates to a helically coiled screw thread insert which is formed from an even more specific alloy composition.

Claims 8 and 9 are essentially similar to Claims 4 and 5, but depend from a claim reciting a fastener insert formed from a more limited alloy composition.

Claims 10 and 11-13 relate generally to the same subject matter as Claims 6, 8 and 9, but serve to define a highly preferred embodiment of the present invention.

Claim 14 relates to a nut assembly employing a fastener insert formed from a metal alloy which is resistant to galling.

Claim 15 serves to define the metal alloy of Claim 14. Claims 16, 18 and 19 define specific fastener insert embodiments, similar to those set forth in the previous claims.

Summaries of the References Cited

U.S. PATENT NO. 5,860,779 (Toosky)

This patent relates to a locking nut for use with a bolt for connecting members together. The bolt has a head and a shank. The members are disposed between the head and the nut when the locking nut connects the members together. At least a portion of the shank has external threads formed thereon. The locking nut includes a shell having a bore extending therethrough for receiving the bolt. At least a portion of a wall of the bore has internal threads formed thereon. The shell is sized and shaped to permit rotation of the nut on the bolt for tightening the nut on the bolt. The nut further includes a generally tubular insert sized for being received in the bore of the shell. The insert has a threaded portion having an outer surface with external threads for threaded engagement with the internal threads of the shell and an inner surface with internal threads for threaded engagement with the external threads of the bolt. The external threads may be plated with a silver to provide lubrication and to prevent galling when the nut is rotated on the fastener shank.

U.S. PATENT NO. 3,912,503 (Schumacher et al.)

This patent relates to an austenitic stainless steel said to have excellent galling resistance by reason of a silicon containing surface oxide film and a high work hardening rate, good wear resistance, good corrosion resistance in chloride containing environments and excellent oxidation resistance. The stainless steel alloy contains 10 to 25 percent chromium, 3 to 15 percent nickel, 6 to 16 percent manganese, 2 to 7 percent silicon, 0.001 to 0.25 percent

carbon, 0.001 to 0.4 percent nitrogen and balance iron except for incidental impurities. Up to 4 percent molybdenum, up to 4 percent copper, 0.09 percent maximum sulfur and up to 0.50 percent maximum selenium may also be present.

U.S. PATENT NO. 4,563,119 (Cosenza)

This patent relates to a helically coiled wire insert of the type used for tapped holes in parent material that is generally softer than the bolt being screwed into the tapped hole. The two free ends of the coil have a hook recess on the inner screw thread of each and the terminal end of each free end coil has a reduced transverse cross section along one longitudinal axis of the wire. The surfaces of the hook recess are angled from the longitudinal axis of the insert to provide increased forces along the longitudinal axis of the insert.

Issues Presented

- 1. Are Claims 1-2, 4-6, 8-10, 12-16 and 18-19, upon entry of the appended amendment, patentable over Toosky in view of Schumacher and in further view of Cosenza, where applicable?
 - a. Is the suggested combination of the teachings of Toosky and Schumacher or Toosky, Schumacher and Cosenza appropriate?
 - b. If the proposed combination is appropriate, does the proposed combination actually teach or disclose the present invention?

Grouping of Claims

For purposes of this Appeal the claims are grouped according to the rejections that have been applied.

Argument

Claims 1-2, 4-6, 8-10, 12-16 and 18-19 are patentable over the proposed combination of Toosky, Schumacher and Cosenza, where applicable, because (1) the proposed combination is improper; and (2) even if proper, the proposed combination fails to teach or disclose the present invention.

Since Appellants have amended Claims 1, 6, 10 and 14 to include the limitations of Claims 3, 7, 11 and 17, respectively, remarks relating to proposed combination of the references will now be presented.

Initially, Appellants contend that nowhere in Toosky is it taught or suggested that the insert has anything but a coating, e.g., plating, to prevent galling. In particular, not only does Toosky not teach the composition of the threaded inserts to be anti-galling, but he specifically teaches away from the possibility of the composition of the threaded insert to be the element necessary to prevent galling. Toosky states that the threaded insert includes a plating to lubricate and prevent galling of the insert at col. 5, lines 17+. Appellant respectfully submits that one skilled in the art would not look to modifying a teaching relating to the combination of lubrication and resistance to galling by the same element, e.g., a plating, to achieve a non-plated fastener insert which is resistant to galling. Thus, the requisite motivation of substituting the alloy of Schumacher is not provided.

Additionally, Appellants respectfully submit that while the stainless steel of Schumacher et al. is said to be workable into plate, sheet, strip, bar or rod, there is no indication that such materials could withstand the dimensional tolerances necessary to form helically coiled fastener inserts, particularly those having a substantially diamond shaped in cross-section.

Cosenza which is cited as disclosing a fastener insert of a shape similar to that claimed under the present invention, e.g., a coiled insert, also fails to provide sufficient basis for recognizing that dimensional tolerances differ depending on the shape and alloy type to be employed. This, coupled with the fact that Schumacher merely discloses a cylindrical shaped

fastener insert, provides additional support to the proposition that the prior art has not in any way suggested the desirability of the present invention.

The references of record also fail to disclose or appreciate that an enhanced surface area for mating receipt of a threaded fastener is desirable. By providing at least some, and preferably all, of the insert convolutions with a substantially diamond shape in cross section, a greater surface area is achieved along the internal screw thread convolutions. The added surface area translates into a stronger mechanical connection between the fastener and the insert, as well as between the insert and the tapped hole of a substrate for retention of the fastener is achieved.

"The mere fact that the prior art may be modified...does not make the modification obvious unless the prior art suggests the desirability of the modification." *In re Fritch*, 23 U.S.P.Q.2d 1780, 1783 (Fed. Cir. 1992). In the present case, the references of record have not taught the invention or suggested the desirability of the modifications offered by the present invention.

Furthermore, an indication of non-obviousness may be a long felt need in the art. In particular, in *Sibia Neurosciences, Inc. v. Cadus Pharmaceutical Corp.*, 55 U.S.P.Q.2d 1927, 1930 (Fed. Cir. 2000), the court states that inquiries into the facts of non-obviousness include "evidence of non-obviousness such as long felt need."

Appellants submit there is an evidence of a long felt need for a threaded insert which has anti-galling properties in and of itself, absent any coatings or platings. In this regard, Appellants note that the Schumacher patent which purportedly teaches the alloy of interest was filed in 1973, while the threaded insert of Toosky which appears to suggest the anti-galling benefit of a plating on an insert was filed in 1997. While Appellants maintain their contention of non-obviousness, the extended period of time between the references of record, should itself be sufficient evidence of a long felt need in the art for an anti-galling fastener insert. If necessary,

the Appellant is willing to submit an affidavit supportive of this long felt need in the industry for an anti-galling threaded insert.

Conclusion

The present claims are patentable over the references cited. Appellants, therefore, respectfully petition this Honorable Board to reverse the final rejection and to indicate that all claims are allowable.

Respectfully submitted,

HARNESS, DICKEY & PIERCE, P.L.C. P.O. Box 828 Bloomfield Hills, Michigan 48303

(248) 641-1600

Robert M. Siminski Reg. No. 36,007

Appendix

Copy of the Claims Appealed

- 1. A fastener insert formed from a nitrogen strengthened stainless steel alloy comprising:
 - a) from about 0.05 to .15% carbon;
 - b) from about 5.0 to 12.0% manganese;
 - c) from about 2.0 to 6.0% silicon;
 - d) from about 12.0 to 20.0% chromium;
 - e) from about 6.0 to 12.0% nickel;
 - f) from about 0.02 to 0.8% nitrogen;

with the remainder being iron,

wherein at least a portion of said fastener insert is substantially diamond shaped in cross-section.

2. The fastener insert of Claim 1 wherein said insert is in the form of a helically coiled wire.

Please cancel Claim 3.

- 4. The fastener insert of Claim 2 wherein said helically coiled wire has about a 60° internal screw thread convolution.
- 5. The fastener insert of Claim 1 wherein said helically coiled wire includes a selectively removable tang.

- 6. A helically coiled screw thread insert for receiving a threaded fastener, said insert being formed from an alloy comprising:
- a) from about 0.05 to 0.15% carbon; b) from about 5.0 to 12.0% manganese; c) from about 2.0 to 6.0% silicon; d) from about 12.0 to 20.0% chromium; e) from about 6.0 to 12.0% nickel; f) from about 0.02 to 0.8% nitrogen; with the remainder being iron, at least a portion of said fastener insert having a substantially diamond shape in cross-section.

Please cancel Claim 7.

- 8. The fastener insert of Claim 6 wherein said helically coiled wire has a bout a 60° internal screw thread convolution.
- 9. The fastener insert of Claim 6 wherein said helically coiled wire includes a selectively removable tang.
- 10. A helically coiled screw thread insert for receiving a threaded fastener, said insert being formed from an alloy comprising:
- a) from about 0.08 to 0.1% carbon; b) from about 7.0 to 9.0% manganese; c) from about 3.5 to 4.5% silicon; d) from about 16.0 to 18.0% chromium; e) from about 8.0 to 9.0% nickel; f) from about 0.08 to 0.18% nitrogen; with the remainder being iron, at least a portion of said fastener insert having a substantially diamond shape in cross-section.

Please cancel Claim 11.

- 12. The fastener insert of Claim 10 wherein said helically coiled wire has a bout a 60° internal screw thread convolution.
- 13. The fastener insert of Claim 10 wherein said helically coiled wire includes a selectively removable tang.
 - 14. A nut assembly for use in association with a threaded fastener comprising: a nut having an internal screw thread barrel; and

a fastener insert disposed within said barrel which is formed from a metal alloy which is resistant to galling, wherein at least a portion of said fastener insert is substantially diamond shape in cross-section.

- 15. The nut assembly of Claim 14 wherein the fastener insert is formed from a nitrogen strengthened stainless steel alloy comprising:
 - a) from about 0.05 to .15% carbon;
 - b) from about 5.0 to 12.0% manganese;
 - c) from about 2.0 to 6.0% silicon;
 - d) from about 12.0 to 20.0% chromium;
 - e) from about 6.0 to 12.0% nickel;
 - f) from about 0.02 to 0.8% nitrogen;
 - with the remainder being iron.
- 16. The nut assembly of Claim 14 wherein said fastener insert is a helically coiled wire.

Please cancel Claim 17.

- 18. The nut assembly of Claim 16 wherein said fastener insert has about a 60° internal screw thread convolution.
- 19. The nut assembly of Claim 16 wherein said fastener insert includes a selectively removable tang.



TRANSMITTAL FORM

(to be used for all correspondence after initial filing)

Application Number	09/498,821						
Filing Date	February 4, 2000						
First Named Inventor	Lutkus et al.						
Group Art Unit	3627						
Examiner Name	Flemming Saether						
Attorney Docket Number	0275M-000273						

	<u> </u>		Exam	iner Name	Flem	ming Saether					
Total Number of Pag	es in This Submission		Attorn	ey Docket Number	0275	M-000273					
ENCLOSURES (check all that apply)											
Fee Transmittal	Form	Assignn (for an A			_	fter Allowance Communication to croup					
Fee Attache	đ	☐ Drawing)(s)			ppeal Communication to Board of ppeals and Interferences					
Amendment / Re	esponse	Licensin	ng-relate	ed Papers		ppeal Communication to Group Appeal Notice, Brief, Reply Brief)					
After Final		Petition			_	roprietary Information					
☐ Affidavits/de	daration(s)	Petition Provisio			☐ St	tatus Letter					
Extension of Time	e Request	Power of Change	of Attorno	ey, Revocation espondence Address		Other Enclosure(s) lease identify below):					
Express Abando	nment Request	☐ Termina				Fax cover sheet.					
Information Disci	osure Statement	CD, Nun	nber of (CD(s)							
Certified Copy of Document(s)	Priority	Remark	(S	additional fees that m	nay be r	y authorized to charge any required under 37 CFR 1.16 or 1.1 750. A duplicate copy of this	17				
Response to Mis- Incomplete Appli				,							
Response to Parts under 3 1.52 or 1.53	Missing 37 CFR										
	SIGNAT	TURE OF A	PPLICA	ANT, ATTORNEY, OF	RAGE	NT	_				
Firm or Individual name	Harness, Dickey &		Atto	orney Name bert M. Siminski		Reg. No. 36,007					
Signature	Rolet M	Sunsh					-				
Date	Thay 24, 200	- · <u>- · · · · · · · · · · · · · · · · ·</u>									
	CI	RTIFICATE	OF M	AILING/TRANSMISS	ION		7				
I hereby certify that th	is correspondence is	being denosit	ed with	the United States Posta	Service	e as first class mail in an envelope	_				

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner of Patents and Trademarks, Washington, D.C. 20231, or facsimile transmitted to the U.S. Patent and Trademark Office on the date indicated below.

Typed or printed name Robert M. Siminski

Signature // Mat 10

Date

hay 24, 2001

Approximation use through 10/31/2002; OMB 0651-0032
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

FEE TO A NOMITTAL	Complete if Known					
FEE TRANSMITTALE	Application Number	09/498,821				
for FY 200/1	Filing Date	February 4, 2000				
AUG 0 6 2001	First Named Inventor	Lutkus et al.				
Patent fees are subject to annual leftsion.	Examiner Name	Flemming Saether				
	Group / Art Unit	3627				
TOTAL AMOUNT OF PAYMENT (S) 390 TRADEMIN	Attorney Docket No.	0275M-000273				

$\widetilde{}$							i Attor	ney Doci	KELINO.		DM-000273	
ļ				PAYMENT (che						FEE (CALCULATION (continued)	
1. 🗵		The	Commis icated fee	sioner is hereby s and credit any	y authorized y over paym	to charge ents to:	3. AD	3. ADDITIONAL Large Entity		Small Entity		· · · · · · · · · · · · · · · · · · ·
	posit count	02-	2550				Fee Code	Fee (\$)	Fee Code	Fee (\$)	Fee Description	Fee Paid
	nber	1				į	105	130	205	65	Surcharge - late filing fee or oath	
Des	oosit .						127	50	227	25	Surcharge - late provisional filing fee or cover sheet.	
Acc	ount	The	Black & I	Decker Corpora	ition		139	130	139	130	Non-English specification	-
Nar		L					147	2,520	147	2,520	For filing a request for reexamination	
_	Under 37	CFR 1.	16 and 1.				112	920*	112	920°	Requesting publication of SIR prior to Examiner action	
	Applicant See 37 (FR 1.27	<u></u>	ty status.			113	1,840*	113	1,840*		
2.	Payme	int Encl	osed:				115	110	215	55	Extension for reply within first month	\vdash
	Check		redit card	Mone Orde		Other	116	390	216	195	Extension for reply within second month	390
			EEE C		<u> </u>		117	890	217	445	Extension for reply within third month	
1.	BASIC FI	LING F		ALCULATION			118	1,390	218	695	Extension for reply within fourth	
Large	Entity	Small	Entity				128	1,890	228	945	Extension for reply within fifth month	
Fee Code		Fee	Fee	Fee Description	on	_	119	310	219	155	Notice of Appeal	
101		Code 201	(\$) 355	1 Mills - Fit F	ı	Fee Paid	120	310	220	155	Filing a brief in support of an appeal	\vdash
106		201 206		Utility filing fee	_		121	270	221	135	Request for oral hearing	
107	490	207	245	Design filing fee Plant filing fee			138	1,510	138	1,510	Petition to institute a public use proceeding	
108		208		Reissue filing fe	ee		140	110	240	55	Petition to revive – unavoidable	
114	150	214	75	Provisional filling	ng fee [141	1,240	241	620	Petition to revive - unintentional	
		SI	UBTOTAL	1.74)	_	(6) 0	142	1,240	242	620	Utility issue fee (or reissue)	
				- (1)		(\$) 0	143	440	243	220	Design issue fee	
2. EXT	RA CLAIN	A FEES					144	600	244	300	Plant issue fee	
					Fee from	Fee	122	130	122	130	Petitions to the Commissioner	
otal Clain	_	⊒ •	= [Claims 0 X	below	= 0	123	130	123	130	Petitions related to provisional applications	
ndepender Ilaims	"		• [• x		= 0	126	180	126	180	Submission of Information Disclosure Stmt	
luitiple lependent •	-			x[= 0	581	40	581	40	Recording each patent assignment per property (times number of properties)	
Large Fee	Fee	Small Fee	Entity Fee	/ Fee Descrip	tion		146	710	246	355	Filing a submission after final rejection (37 CFR § 1.129(a))	
Code 103	(\$) 18	Code 203	(\$) 9	Claims in exc			149	710	249	355	For each additional invention to be	
102	80	202	40	Independent	daims in ex	cess of 3		_			examined (37 CFR § 1.129(b))	
104	270	204	135	Multiple depe			179	710	279	355 F	Request for Continued Examination (RCE)	
109	80	209	40	** Reissue in original pater	dependent o t	daims over	169	900	169		Request for expedited examination of a design application	
110	18	210	9	** Reissue da over original p		ss of 20 and						
			su	BTOTAL (2)	(\$) O		Other fe	e (specify	()			
**or num!	er previou	sly paid.	if greater:	For Reissues, se	e above		*Reduc	ed by Bas	sic Filing	Fee Pai	d SUBTOTAL (3) (\$) 390	<u> </u>
		, ,			- 20016							

Name (Print/Type) Robert M. Siminski (Registration No. Attorney/Agent) 36,007 Telephone 248-641-1600 Signature Date May 24, 2001	SUBMITTED BY				C	omplete (if applicable)	
Signature Notet M Sumsh. Date May 24, 2001	Name (Print/Type)	Robert M. Siminski	Registration No. Attorney/Agent)	36,007	Telephone	248-641-1600	
	Signature	16fet M	Sumsh.		Date	May 24, 2001	

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.:

09/498,821

Filing Date:

February 4, 2000

Applicant:

Lutkus et al.

Group Art Unit:

3627

Examiner:

Flemming Saether

Title:

Anti-Galling Fastener Inserts

Attorney Docket:

0275M-000273

Commissioner of Patents and Trademarks Washington, D.C. 20231

AMENDMENT AND PETITION FOR EXTENSION OF TIME

Sir:

In response to the Office Action mailed January 2, 2001, please amend the application as follows and consider the remarks set forth below.

Applicant hereby petitions under the provisions of 37 C.F.R. § 1.136(a) for a two month extension of time in which to respond to the outstanding Office Action. Applicant has included a Fee Transmittal with this response authorizing the extension fee payment to be charged to the appropriate Deposit Account for such extension of time.

IN THE SPECIFICATION

Please replace the paragraph of the specification beginning on page 4, line 4 with the paragraph set forth below. Applicant includes herewith an Attachment for Specification

Amendments showing a marked up version of each replacement paragraph. Applicant submits that the added language serves to clarify the scope of the invention and such language is fully supported by the specification and drawings as originally filed. The replacement paragraph should read as follows:

After forming the alloy into a round wire and allowing the wire to cool to room temperature, the wire is shaped to include at least a portion of wire having a substantially diamond shaped cross section. The wire is formed into an insert having a significant amount of surface area along the internal screw thread convolution. The resulting fastener inserts should have excellent anti-galling characteristics at both ambient and elevated temperatures. Further, the fastener inserts should have good corrosion resistance and a room temperature yield strength which surprisingly is almost twice that of fastener inserts formed from 304 type stainless steel. The nitrogen strengthened stainless steel fastener inserts of the present invention also provide excellent oxidation resistance and excellent impact strength, particularly at sub-zero temperatures.

IN THE CLAIMS

Please amend the claims in accordance with the following rewritten claims in clean form.

Applicant includes herewith an Attachment for Claim Amendments showing a marked up version of each amended claim.

- 1. (Amended) A fastener insert formed from a nitrogen strengthened stainless steel alloy comprising:
 - a) from about 0.05 to .15% carbon;
 - b) from about 5.0 to 12.0% manganese;
 - c) from about 2.0 to 6.0% silicon;
 - d) from about 12.0 to 20.0% chromium;
 - e) from about 6.0 to 12.0% nickel;

f) from about 0.02 to 0.8% nitrogen;

with the remainder being iron,

wherein at least a portion of said fastener insert is substantially diamond shaped in cross-section.

Please cancel Claim 3.

6. (Amended) A helically coiled screw thread insert for receiving a threaded fastener, said insert being formed from an alloy comprising:

a) from about 0.05 to 0.15% carbon; b) from about 5.0 to 12.0% manganese; c) from about 2.0 to 6.0% silicon; d) from about 12.0 to 20.0% chromium; e) from about 6.0 to 12.0% nickel; f) from about 0.02 to 0.8% nitrogen; with the remainder being iron, at least a portion of said fastener insert having a substantially diamond shape in cross-section.

Please cancel Claim 7.

10. (Amended) A helically coiled screw thread insert for receiving a threaded fastener, said insert being formed from an alloy comprising:

a) from about 0.08 to 0.1% carbon; b) from about 7.0 to 9.0% manganese; c) from about 3.5 to 4.5% silicon; d) from about 16.0 to 18.0% chromium; e) from about 8.0 to 9.0% nickel; f) from about 0.08 to 0.18% nitrogen; with the remainder being iron, at least a portion of said fastener insert having a substantially diamond shape in cross-section.

Please cancel Claim 11.

14. (Amended) A nut assembly for use in association with a threaded fastener comprising:

a nut having an internal screw thread barrel; and

a fastener insert disposed within said barrel which is formed from a metal alloy which is resistant to galling, wherein at least a portion of said fastener insert is substantially diamond shape in cross-section.

Please cancel Claim 17.

REMARKS

Claims 1-19 are now pending in the application. In this response, Applicants have amended Claims 1, 6, 10 and 14 and have requested cancellation of Claims 2, 7, 11 and 14.

REJECTIONS UNDER 35 U.S.C. § 103

Claims 1, 2, 6, 20 and 14-16 currently stand rejected under 35 U.S.C. § 103(a) as being unpatentable over Toosky in view of Schumacher. In this regard, the Examiner believes it would have been obvious for one of ordinary skill in the art to make the insert of Toosky out of a material as disclosed in Schumacher because an alloy which itself resists galling would be preferable to a separate coating or plating as currently employed in Toosky.

Claims 3-5, 7-9, 11-13 and 17-19 currently stand rejected under 35 U.S.C. §103(a) as being unpatentable over modified Toosky as applied to Claims 1, 2, 6, 10, 14 and 16 in further view of Cosenza. The Examiner believes it would have been obvious for one of ordinary skill in the art to make the insert of Toosky of a shape as disclosed in Cosenza because the shape of the insert of Cosenza provides for superior thread engagements.

Since Applicants have amended Claims 1, 6, 10 and 14 to include the limitations of Claims 3, 7, 11 and 17, respectively, remarks relating to proposed combination of the references will now be presented.

Initially, Applicants must again draw the Examiner's attention to the fact that nowhere in Toosky is it taught or suggested that the insert has anything but a coating to prevent galling. In particular, not only does Toosky not teach the composition of the threaded inserts to be antigalling, but he specifically teaches away from the possibility of the composition of the threaded insert to be the element necessary to prevent galling. Toosky states that the threaded insert includes a plating to lubricate and prevent galling of the insert at col. 5, lines 17+. Applicant respectfully submits that one skilled in the art would not look to modifying a teaching relating to the combination of lubrication and resistance to galling by the same element, e.g., a plating, to achieve a non-plated fastener insert which is resistant to galling.

Additionally, Applicants respectfully submit that while the stainless steel of Schumacher et al. is said to be workable into plate, sheet, strip, bar or rod, there is no indication that such materials could withstand the dimensional tolerances necessary to form helically coiled fastener inserts, particularly those having a substantially diamond shaped in cross-section.

Cosenza which is cited as disclosing a fastener insert of a shape similar to that claimed under the present invention, e.g., a coiled insert, also fails to provide sufficient basis for recognizing that dimensional tolerances differ depending on the shape and alloy type to be employed. This, coupled with the fact that Schumacher merely discloses a cylindrical shaped fastener insert, provides additional support to the proposition that the prior art has not in any way suggested the desirability of the present invention.

The references of record also fail to disclose or appreciate that an enhanced surface area for mating receipt of a threaded fastener is desirable. By providing at least some, and preferably all, of the insert convolutions with a substantially diamond shape in cross section, a greater surface area is achieved along the internal screw thread convolutions. The added

surface area translates into a stronger mechanical connection between the fastener and the insert, as well as between the insert and the tapped hole of a substrate for retention of the fastener is achieved.

"The mere fact that the prior art may be modified...does not make the modification obvious unless the prior art suggests the desirability of the modification." In re Fritch, 23 U.S.P.Q.2d 1780, 1783 (Fed. Cir. 1992). In the present case, the references of record have not taught the invention or suggested the desirability of the modifications offered by the present invention.

Furthermore, an indication of non-obviousness may be a long felt need in the art. In particular, in Sibia Neurosciences, Inc. v. Cadus Pharmaceutical Corp., 55 U.S.P.Q.2d 1927, 1930 (Fed. Cir. 2000), the court states that inquiries into the facts of non-obviousness include "evidence of non-obviousness such as long felt need." From the art cited, there is an evidence of a long felt need for a threaded insert which has anti-galling properties in and of itself, absent any coatings or platings. In this regard, the Examiner's attention is directed to the fact that the Schumacher patent which purportedly teaches the alloy of interest was filed in 1973, while the threaded insert of Toosky which appears to suggest the anti-galling benefit of a plating on an insert was filed in 1997. While Applicants maintain their contention of non-obviousness, the extended period of time between the references of record, should itself be sufficient evidence of a long felt need in the art for an anti-galling fastener insert. If necessary, the Applicant is willing to submit an affidavit supportive of this long felt need in the industry for an anti-galling threaded insert.

CONCLUSION

It is believed that all of the stated grounds of rejection have been properly traversed, accommodated or rendered moot. Applicant therefore respectfully requests that the Examiner reconsider and withdraw all presently outstanding rejections. It is believed that a full and

complete response has been made to the outstanding Office Action, and as such, the present application is in condition for allowance. Thus, prompt and favorable consideration of this amendment is respectfully requested. If the Examiner believes that personal communication will expedite prosecution of this application, the Examiner is invited to telephone the undersigned at (248) 641-1600.

Respectfully submitted,

Dated:

May 24, 2001

By:

Robert M. Siminski Reg. No. 36,007

HARNESS, DICKEY & PIERCE, P.L.C. P.O. Box 828 Bloomfield Hills, Michigan 48303 (248) 641-1600

RECEIVED

AUG 0 9 2001 TO 3600 MAIL ROOM



AF 13627

HDP/SB/21 based on PTO/SB/21 (08-00)

X

4			Applic	cation Number	09/498,821		
	SMITTAL		Filing	Date	February 4, 2000		
F F	ORM		First I	Named Inventor	Lutkus et al.		
be used for all corn	respondence after ir	nitial filing)	Group	Art Unit	3627		
			Exami	ner Name	Flemming Saether		
otal Number of Pages	in This Submission	1	Attorn	ey Docket Number	0275M-000273		
		ENCLO	DSURES	(check all that apply)			
Fee Transmittal Fo	orm		ment Par Application		After Allowance Commu	unication to	
		☐ Drawin	g(s)		Appeal Communication Appeals and Interference		
Amendment / Res	ponse	Licensi	ng-relate	d Papers	Appeal Communication (Appeal Notice, Brief, Repl		
After Final		Petition	ו		Proprietary Information	.)~~	
Affidavits/decl	aration(s)		n to Conv onal App		Status Letter	AUG 0 9 70 3600 MAL	
Extension of Time	Request			ey, Revocation espondence Address	Other Enclosure(s) (please identify below):		
_		Termin	al Discla	imer	return postcard	30 3600 MA	
Express Abandoni	ment Request	Reque	st for Ref	rund		- 111/1	
☐ Information Disclo	sure Statement	CD, Nu	ımber of	CD(s)			
Certified Copy of F	Priority	Rema	rks	additional fees that n	s hereby authorized to char nay be required under 37 Cl No. 08-0750. A duplicate co	FR 1.16 or 1.17	
Response to Miss		The Appea	al Brief i	s sent in triplicate.			
Response to Parts under 3 1.52 or 1.53							
	SIGNA	TURE OF	APPLIC	ANT, ATTORNEY, O	R AGENT		
Firm or Individual name	Harness, Dickey 8	Pierce, P.L.		torney Name obert M. Siminski	Reg. No. 36,007	1	
Signature	Robert M	Sum	ik				
Date	august :	3, 200					
				MAILING/TRANSMIS			
I hereby certify that the addressed to: Comm Trademark Office on the communication of the certification of the ce	issioner of Patents a	and Tradema	sited with rks, Was	h the United States Post hington, D.C. 20231, or	al Service as first class mail in facsimile transmitted to the U	n an envelope I.S. Patent and	
Typed or printed name	e Robert M. Sii	minski /	1	1			
Signature			mo		Date Cliquet	20000	

PTO/SB/17 (11-00)
Approved for use through 10/31/2002, OMB 0651-0032
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

CERTE TO A NOMETTAL		Complete if Known
PER IRANSIVIII IAL	Application Number	09/498,821
FEFEE TRANSMITTAL for FY 2001	Filing Date	February 4, 2000
1 10 g pr (E)	First Named Inventor	Lutkus et al.
1 97	Examiner Name	Flemming Saether
ZENT TO NOEME	Group / Art Unit	3627
TOTAL AMOUNT OF PAYMENT (\$) 310	Attorney Docket No.	0275M-000273

TOTAL	L AMOU	NT OF	PAYN	MENT ((\$)	310		_	A	ttorne	ey Docke	t No.	02/5	M-000273			
		METHO	OD OF P	AYMENT (c	hec	k one)							FEE C	ALCULATION (continued)		J	
1. 🗆		The C	Commissi	ioner is here and credit a	by a	uthorized			3.	ADD	ITIONAL Large Entity	FEES	Small Entity				1
Depo	sit								Fee Co		Fee (\$)	Fee Code	Fee (\$)	Fee Description	Fee Paid		l
Accou		08-07	750						105		130	205	65	Surcharge - late filing fee or oath		ıl	i
Numt									127		50	227	25	Surcharge - late provisional filing fee or cover sheet.			İ
Depo Accou		Harne	ess, Dick	ey & Pierce	, P.L	C.			139	Э	130	139	130	Non-English specification			
Name	•			<u> </u>					147	7	2,520	147	2,520	For filing a request for reexamination			
Charge Any Additional Fee Required Under 37 CFR 1.16 and 1.17									112	2	920*	112	920*	Requesting publication of SIR prior to Examiner action			
Applicant claims small entity status. See 37 CFR 1.27 2. Payment Enclosed:										3	1,840*	113	1,840*	Requesting publication of SIR after Examiner action			
2. 🛛	Paymen	it Enclos	sea:						115		110	215	55	Extension for reply within first month		ı	
⊠ (Check	☐ Cre	edit card	□ Mo	oney rder		Othe	г	116	6	390	216	195	Extension for reply within second month	CE	1	/I
			FEE C	ALCULATION					117		890	217	445	' '		/ Y	/E
1. B	ASIC FIL	ING FF					-		118	В	1,390	218	695	Extension for reply within fourth month			
Large	Entity S		Entity						128	В	1,890	228	945	Extension for reply within fifth month			,
Fee	-	ee	•	Fee Descri	ptio	n			119	9	310	219	155	Notice of Appeal		۲۷	1
Code	(\$) C	Code	(\$)				Fe	e Paid	120	0	310	220	155	Notice of Appeal Filing a brief in support of an Appa 00 Request for oral hearing	3110		L
101	710 2	201	355	Utility filing	fee				12	1	270	221	135	Request for oral hearing	MAIL	K	νO
106 107		206 207	160 245	Design filin	-	•	-		136	8	1,510	138	1,510	Petition to institute a public use proceeding			
108	710 2	208	355	Reissue fili	ng fe	e			140	0	110	240	55	Petition to revive – unavoidable			İ
114	150 2	214	75	Provisional	fillin	g fee			14	1	1,240	241	620	Petition to revive - unintentional		J	ĺ
									143	2	1,240	242	620	Utility issue fee (or reissue)		↓ 	İ
		SL	JBTOTA	L (1)			(\$	0	14:	3	440	243	220	Design issue fee			İ
2 EVTE	A CLAIM	EEES							— 144	4	600	244	300	Plant issue fee		.	İ
Z. EXIN	C CLAIIV	IFEES		Extra	1	Fee from		Fee	12	2	130	122	130	Petitions to the Commissioner		1	İ
Total Claim	ns		=	Claims 0		below] =	Paid 0] 12:	3	130	123	130	Petitions related to provisional applications			
Independen Claims	ıt _	-	=	0	x		=	0	120	6	180	126	180	Submission of Information Disclosure Stmt			
Multiple Dependent			'		×		<u></u>	0	58	1	40	581	40	Recording each patent assignment per property (times number of properties)			
Large	Entity	Small	Entit	У					14	6	710	246	355	Filing a submission after final rejection			
Fee Code	Fee (\$)	Fee Code	Fee (\$)	Fee Des	crip	tion			14	9	710	249	355	(37 CFR § 1.129(a)) For each additional invention to be			
103	18	203	9	Claims i	n ex	cess of 20)		1	-				examined (37 CFR § 1.129(b))]	ı
102	80	202	40	Indepen	dent	claims in	exce	ss of 3	17	, o	710	279	355	Request for Continued Examination (RCE)		П	1
104	270	204	135	Multiple	dep	endent cla	aim, if	not paid							<u> </u>		ı
109	80	209	40	** Reiss original		ndepende nt	nt cla	ims over	16	69	900	169	900	Request for expedited examination of a design application			
110	18	210	9	** Reiss over orig			xcess	of 20 and	d							$\mid \mid$	
			s	UBTOTAL ((2)	(\$)0] 01	ther fo	ee (speci	fy)]	
						٠		<u> </u>	۰ ۱ ۱	Redu	ced by Ba	asic Filin	ıg Fee F	raid SUBTOTAL (3) (\$) 310			
**or num	ber previou	usly paid,	, if greater	r; For Reissu	es, s	ee above											J

Telephone 248-641-1600	
Date August 3, 200)	

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.